

4XEM's USB 3.0 Universal Docking Station With Vertical Stand

4XEM Part- 4XUG39DK1V



4XEM's Universal Docking Station is the ideal solution for various work environments that support multiple Laptop standards or where there is the need for a shared workspace. It can also let IT administrators standardize on one docking station throughout the organization while being easy for users on the other end to understand and use. Compatible with any USB device, either USB 3.0 or 2.0.

Docking and undocking is easy. Just plug in the one USB 3.0 cable from these Docking to any USB 3.0 or USB 2.0 port on your Laptop and your display(s) and accessories will be activated in seconds. Keep your workstation or business organized simply and effectively with 4XEM's Universal Docking station.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- USB3.0 or USB2.0 compatibility
- Resolution Single Head up to 2560 x 1440 / Dual Head up to 2048 x 1152
- Primary / Extend / Mirror Video Mode
- Expandable up to 6 Display units
- Supporting DVI-I / HDMI / VGA
- Built in USB3.0 Gigabit Ethernet Adapter
- Built in Audio Mic in and Line out
- Built in 2 x USB3.0 ports (with one port for smartphone charging function)
- Built in 4 x USB2.0 ports
- Vertical Stand for added stability

Application

- Home theatre
- Small business
- Home Office
- Business Presentations

4XEM Products Are Available At Your Favorite Online Retailers





DATA SHEET

Warranty Information	Warranty	2 Years	
Hardware	4K Support	No	
	Displays Supported	2	
Connector(s)	USB Ports	6	
	Fast-Charge Port(s)	1	
	Network	Yes	
	SD Card Reader	No	
	Audio	Yes	
	Host Bus Type	USB 3.0 Type-B	
	Power Delivery	No	
	Lock Slot	Yes	
	Industry Standards	HDMI 1.2 DVI-I SL HDCP 1.4	
	Chipset ID	Battery Charging (BC 1.2) DisplayLink DL3900 VIA VL82B2 FE1.1S	
	Performance	Host Connector	USB 3.0 Type-B (5Gbps)
		Host Connector Cable	Detachable
		Connector Type(s)/Rate(s)	1x HDMI 1.2 (4.95Gbps)
			1x DVI-I SL (4.95Gbps)
			1x USB 3.0 Type-A (5Gbps - Fast Charging)
1x USB 3.0 Type-A (5Gbps)			
4x USB 2.0 Type-A (480Mbps)			
1x RJ-45 (10/100/1000Mbps)			
1x 3-pole TRS Phono Jack Audio Input (Microphone)			
1x 3-pole TRS Phono Jack Audio Output (Speakers/Headphones)			
Maximum Digital Resolution	Single Monitor: 2560 x 1440 @ 30Hz Dual Monitors: 2048 x 1152 @ 60Hz Each		
Maximum Analog Resolution	2048 x 1152 @ 60Hz (Analog via DVI->VGA Adaptor)		
Software	OS Compatibility	Windows Vista, 7, 8, 8.1, 10 Mac OS 10.2 or higher Linux	
Power	Power Source	Included AC Adaptor (100-240VAC, 50/60Hz, 0.1A Max , CLASS II)	
	Power Adaptor Style	Wall Wart	
	Power Consumption	1W	
	Input Voltage	12V DC	
	Input Current	2A	
	Output Voltage	N/A	
	Output Current	N/A	
	Power Delivery	N/A	
Physical Characteristics	Product Height	1.3 in [33 mm] (w stand 9.02 in [229 mm])	
	Product Width	8.82 in [224 mm] (w stand 5.51 in [140 mm])	
	Product Length	3.43 in [87 mm] (w stand 5.51 in [140 mm])	
	Weight of Product	9.67 oz [274 g] (w stand 17.64 oz [500 g])	
	Color	Black	
	Material	ABS Plastic - Metal Stand	
	Cable Length	2.33 ft [0.71 m]	
	Power Button	N/A	
	Power LED	Blue	
	Environmental	Operating Temperature	0°C-40°C
Storage Temperature		-10~70°C	
Humidity		10%-90%,noncondensing	
Packaging Information	Shipping (Package) Weight	1.95 lbs [0.89 kg]	
	Package Height	2.44 in [62 mm]	
	Package Width	13.62 in [346 mm]	
	Package Length	6.02 in [153 mm]	
What's in the Box	Included in Package	1x USB 3.0 Universal Docking Station 1x USB 3.0 Type-B to Type-A Cable 1x DVI to VGA Adaptor 1x 12V/2A Power Adaptor (46" fixed output cable) 1x Quick Start Guide 1x Vertical Stand Assembly	
Country of Origin	Country of Origin	China	
Notes	HDCP not supported on Mac OS or Linux		

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**

