

4XEM's USB 3.0 Universal Docking Station B with Vertical stand

4XEM Part- 4XUG39DK4V



4XEM's Universal Docking Station is the ideal solution for various work environments that support multiple Laptop standards or where there is the need for a shared workspace. It can also let IT administrators standardize on one docking station throughout the organization while being easy for users on the other end to understand and use. Compatible with any USB device, either USB 3.0 or 2.0.

Docking and undocking is easy. Just plug in the one USB 3.0 cable from these Docking to any USB 3.0 or USB 2.0 port on your Laptop and your display(s) and accessories will be activated in seconds. Keep your workstation or business organized simply and effectively with 4XEM's Universal Docking station.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- USB3.0 or USB2.0 compatibility
- Resolution Single Head up to 2560 x 1440 / Dual Head up to 2048 x 1152
- Primary / Extend / Mirror Video Mode
- Expandable up to 6 Display units
- Supporting DVI-I / HDMI / VGA
- Built in USB3.0 Gigabit Ethernet Adapter
- Built in Audio Mic in and Line out
- Built in 2 x USB3.0 ports (with one port for smartphone charging function)
- Built in 4 x USB2.0 ports
- with Vertical stand

Application

- Home theatre
- Small business
- Home Office
- Business Presentations

4XEM Products Are Available At Your Favorite Online Retailers



Warranty Information	Warranty	2 Years
Hardware	4K Support Displays Supported USB Ports Fast-Charge Port(s) Network SD Card Reader Audio Host Bus Type Power Delivery Lock Slot Industry Standards Chipset ID	No 2 6 Yes Yes No Yes USB Type-B No No HDMI 1.1 DVI-I SL HDCP 1.4 Battery Charging (BC 1.2) DisplayLink DL3900 VIA VL82B2 FE1.1S
Connector(s)	Host Connector Host Connector Cable Connector Type(s)	USB 3.0 Type-B (5Gbps) Detachable 1x HDMI 1.1 (4.95Gbps) 1x DVI-I SL (4.95Gbps) 1x USB 3.0 Type-A (5Gbps - Fast Charging) 1x USB 3.0 Type-A (5Gbps) 4x USB 2.0 Type-A (480Mbps) 1x RJ-45 (10/100/1000Mbps) 1x 3-pole TRS Phone Jack - Audio In (Mic) 1x 3-pole TRS Phone Jack - Audio Out (Speakers/Headphones)
Performance	Maximum Digital Resolutions Maximum Analog Resolutions	2048 x 1152 @ 60Hz 2048 x 1152 @ 60Hz (Analog via DVI->VGA Adaptor)
Software	OS Compatibility	Windows Vista, 7, 8, 8.1, 10 Mac OS 10.2 or Later Linux
Power	Power Source Power Adaptor Style Power Consumption Input Voltage Input Current Output Voltage Output Current Power Delivery	Included AC Adaptor (100-240VAC, 50/60Hz, 0.1A Max , CLASS II) Wall Wart 1W 12V DC 2A N/A N/A N/A
Physical Characteristics	Product Height Product Width Product Length Weight of Product Color Material Cable Length Power Button Power LED	1.3 in [33 mm] (w stand 9.02 in [229 mm]) 8.82 in [224 mm] (w stand 5.51 in [140 mm]) 3.43 in [87 mm] (w stand 5.51 in [140 mm]) 9.67 oz [274 g] (w stand 17.64 oz [500 g]) Black ABS Plastic - Metal Stand 2.33 ft [0.71 m] N/A Blue
Environmental	Operating Temperature Storage Temperature Humidity	0°C-40°C -10-70 °C 10%-90%,noncondensing
Packaging Information	Shipping (Package) Weight Package Height Package Width Package Length	1.69 lbs [0.88 kg] 2.44 in [62 mm] 13.62 in [346 mm] 6.02 in [153 mm]
What's in the Box	Included in Package	1x USB 3.0 Universal Docking Station 1x USB 3.0 Type-B to Type-A Cable 1x DVI to VGA Adaptor 1x 12V/2A Power Adaptor (46" fixed output cable) 1x Quick Start Guide 1x Vertical Stand Assembly
Country of Origin	Country of Origin	China
Notes	HDCP not supported on Mac OS or Linux	

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

