

4XEM's USB-C 4K Ultra HD Multi-Display Universal Docking Station

4XEM Part- 4XUG69DK1



4XEM's 4K Ultra HD Docking Station is an ideal device for recreational or business-related multiple screen set-ups. The new USB Type-C connector works seamlessly with this Ultra HD 4K Universal Docking Station. The Dock can connect to any host with Standard A or Type C connectors providing a fully backward-compatible and future-proof docking solution. It also, allows you to connect up to two additional monitors and eleven accessories through a single USB cable. Compatibility with Windows 10, 8.1 and 7 or Apple Mac OS means this dock can fit into any preferred configuration.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features

- USB3.1Gen1 Type-C and Standard-A connectors compatible both Type-C and Type-A Laptop
- Build in USB 3.0 GPU, Plug and Display Certified by DisplayLink
- Two display output, each display output support HDMI or DisplayPort, resolution up to (4K)4096 x 2160p6
- Support resolution 5k)5120 x 2880p60 when only using one DP++ port
- Support Extend and Mirror Video Mode. 5.1 Channel surround-sound through Display Port interface
- Gigabit Ethernet network RJ-45 backward 10/100 Ethernet
- 2.0 Audio Line-out Jack for Earphone and Line-In Jack  
Microphone
- 6 x USB 3.0 ports compatible all USB 3.0 and USB 2.0 devices

## Application

- Multi-screens
- Meetings
- Home Theatre
- Presentations
- Desktop

**4XEM Products Are Available At Your Favorite Online Retailers**



Warranty Information	Warranty	2 Years	
Hardware	4K Support	Yes	
	Displays Supported	2	
Connector(s)	USB Ports	6	
	Fast-Charge Port(s)	No	
	Network	Yes	
	SD Card Reader	No	
	Audio	Yes	
	Host Bus Type	USB Type-C	
	Power Delivery	No	
	Lock Slot	Yes	
	Industry Standards	DisplayPort++ 1.2 HDMI 2.0 HDCP 1.4 DisplayLink DL6950 VIA VL813	
	Chipset ID		
	Host Connector	USB 3.1 Gen 1 Type-C (5Gbps)	
	Host Connector Cable	Detachable	
	Connector Type(s)/Rate(s)	2x DisplayPort++ 1.2 (HBR2: 5.40Gbps x4) 2x HDMI 2.0 (18Gbps) 6x USB 3.0 Type-A (5Gbps) 1x RJ-45 (10/100/1000Mbps) 1x 3-Pole TRS Phono Jack (Audio In - Microphone) 1x 3-Pole TRS Phono Jack (Audio Out - Speakers/Headphones)	
	Performance	Maximum Digital Resolutions	Single Monitor: 5K (5120 x 2880 @60Hz) Dual Monitors: 4K UHD (3840 x 2160 @ 60Hz) Each
	Software	OS Compatibility	Windows 7,8,10 Mac OS
Power	Power Source	AC Adaptor Included (100-240VAC, 50/60Hz, 0.2A Max , CLASS II)	
	Power Adaptor Style	Wall Wart	
	Power Consumption	40W	
	Input Voltage	20V DC	
	Input Current	2A	
	Output Voltage	N/A	
	Output Current	N/A	
	Power Delivery	N/A	
Physical Characteristics	Product Height	1.10 in [28 mm]	
	Product Width	8.78 in [223 mm]	
	Product Length	3.31 in [84 mm]	
	Weight of Product	11.92 oz [338g]	
	Color	Black	
	Material	ABS Plastic	
	Cable Length	36 in [0.91 m]	
	Power Button	Switch	
	Power LED	Blue	
Environmental	Operating Temperature	0°C~40°C	
	Storage Temperature	-10~70°C	
	Humidity	10%~90%,noncondensing	
Packaging Information	Shipping (Package) Weight	1.87 lbs [848 g]	
	Package Height	6.06 in [154 mm]	
	Package Width	12.48 in [317 mm]	
	Package Length	2.48 in [63 mm]	
What's in the Box	Included in Package	1x USB-C Universal Docking station 1x USB 3.0 C to C Cable 1x USB 3.0 A to C Cable 1x User Manual 1x Software Installation CD 1x DC20V Power Adapter (46" fixed output cable)	
Country of Origin	Country of Origin	China	
Notes	<p>*HDCP not supported on Mac OS If both video output ports are occupied of the same display head, DisplayPort will be given priority. Audio output is not dynamically selectable and is given the following priority: 1) 3.5mm Phono Jack - 2) Display Head 1 - 3) Display Head 2"</p>		

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

