

4XEM USB 3.0 to HDMI 4K Display Adapter

4XEM Part- 4XUG7601H



4XEM's USB 3.0 to HDMI adapter is designed to offer 4K quality resolution to multiple devices. Able to show the same content on two screens (mirror mode) or extend displays (split-screen mode) this device is a versatile addition to your office or home theatre. The adapter offers a wide range of compatibility. The USB 3.0 is backwards compatible with USB 2.0 and the resolution is compatible with 4K resolution up to 3840 x 2160. Connect high quality HDMI displays with 4XEM's USB 3.0 to HDMI 4K Display Adapter.

Problem it solves: Connect, mirror and extend 4K high quality resolution displays quick and easy with 4XEM's USB 3.0 to HDMI 4K Display Adapter.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- Compatible with Microsoft Windows and Mac OS X
- Compact and portable, great for travel
- One HDMI 1.4 port supports resolutions up to 4K (3840 x 2160@30Hz)
- The DVI converter supports resolutions up to 2K (1920x1080@60Hz)
- Built in GPU with “Content Adaptive Technology” to decrease CPU loading
- Blue LED light

Application

- Home
- Office
- Display

4XEM Products Are Available At Your Favorite Online Retailers



Warranty Information	Warranty	1 Year
Hardware	Host Bus Type	USB 3.0
	Interface	HDMI
	Industry Standards	USB 3.0 HDMI 1.4
	Flash SDRAM Chipset ID	128Kb 128MB DDR3 Silicon Motion - SM768
Connector(s)	Host Connector	USB 3.0 Type-A Male (5Gbps)
	Host Connector Type	Direct Attached
	Connector Type(s)/Rate(s)	HDMI 1.4 Female (10.8Gbps)
Performance	Maximim Digital Resolution	3840 x 2160 @ 30Hz, 8bpc
Software	OS Compatibility	Windows® Vista, 7, 8, 8.1, 10 Mac OSX (10.10 or later) Linux Chrome OS
Power	Power Source Power Consumption	USB-Powered 2W
Physical Characteristics	Product Height	0.59 in [15.0 mm]
	Product Width	1.81 in [46.0 mm]
	Product Length	3.54 in [90.0 mm]
	Weight of Product	2.47 oz [70 g]
	Color	Black
	Material	ABS Plastic
	Cable Length	3.94 in [100 mm]
	LED Indicators	Power (Blue)
Environmental	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
	Humidity	10% to 90% RH (non-condensing)
Packaging Information	Package Height	6.14 in [156.0 mm]
	Package Width	3.44 in [87.3 mm]
	Package Length	0.81 in [20.7 mm]
	Shipping (Package) Weight	4.80 oz [136 g]
What's in the Box	Included in Package	USB 3.0 HDMI Adapter HDMI-DVI Adaptor USB-C to USB-A Adaptor Instruction Manual
Special Notes / Requirements	Minimum System Requirements	Available USB port CPU: Intel Core i5 RAM: 4GB 4K UHD Monitor required for 4K UHD resolution

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

