

4XEM USB 3.0 to Dual HDMI 4K Display Adapter

4XEM Part- 4XUG7602H



4XEM's USB 3.0 to dual HDMI adapter is designed to offer 4K quality resolution to multiple devices. This device offers two HDMI ports for greater display connection. Able to show the same content on three screens (mirror mode) or extend displays (split-screen mode) this device is a versatile addition to your office or home theatre. The adapter offers a wide range of compatibility. The USB 3.0 is backwards compatible with USB 2.0 and the resolution is compatible with 4K resolution up to 3840 x 2160. Connect high quality HDMI displays with 4XEM's USB 3.0 to HDMI 4K Display Adapter.

Problem it solves: Connect, mirror and extend 4K high quality resolution displays quick and easy with 4XEM's USB 3.0 to HDMI 4K Display Adapter.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- Compatible with Microsoft Windows and Mac OS X
- Compact and portable, great for travel
- Two HDMI ports both 4K compatible
- One HDMI 1.4 port supports resolutions up to 4K (3840 x 2160@30Hz)
- The DVI converter supports resolutions up to 2K (1920x1080@60Hz)
- Built in GPU with “Content Adaptive Technology” to decrease CPU loading
- Blue LED light

Application

- Home
- Office
- Display

4XEM Products Are Available At Your Favorite Online Retailers





DATA SHEET

Warranty Information	Warranty	1 Year
Hardware	Host Bus Type	USB 3.0
	Interface	HDMI
	Industry Standards	USB 3.0 HDMI 1.4
	Flash	128Kb
	SDRAM	128MB DDR3
	Chipset ID	Silicon Motion - SM768
		Semiconn - EP952
Connector(s)	Host Connector	USB 3.0 Type-A Male (5Gbps)
	Host Connector Type	Direct Attached
	Connector Type(s)/Rate(s)	2x HDMI 1.4 Female (10.8Gbps)
Performance	Maximim Digital Resolution (1st Display)	3840 x 2160 @ 30Hz, 8bpc
	Maximim Digital Resolution (2nd Display)	1920 x 1080 @ 60Hz, 8bpc
Software	OS Compatibility	Windows® Vista, 7, 8, 8.1, 10
		Mac OSX (10.10 or later)
		Linux
		Chrome OS
Power	Power Source	USB-Powered
	Power Consumption	2W
Physical Characteristics	Product Height	0.59 in [15.0 mm]
	Product Width	1.97 in [50.0 mm]
	Product Length	3.94 in [100.0 mm]
	Weight of Product	2.82 oz [80 g]
	Color	Black
	Material	ABS Plastic
	Cable Length	3.94 in [100 mm]
	LED Indicators	Power (Blue)
Environmental	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
	Humidity	10% to 90% RH (non-condensing)
Packaging Information	Package Height	5.35 in [136.0 mm]
	Package Width	3.39 in [86.2 mm]
	Package Length	0.82 in [20.8 mm]
	Shipping (Package) Weight	4.09 oz [116 g]
What's in the Box	Included in Package	USB 3.0 Dual HDMI Adapter
		USB-C to USB-A Adaptor
		Instruction Manual
Special Notes / Requirements	Minimum System Requirements	Available USB port
		CPU: Intel Core i5
		RAM: 4GB
		4K UHD Monitor required for 4K UHD resolution

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com**

