

4XEM's USB-C Travel Mini Dock with Gigabit Ethernet port

4XEM Part- 4XUHP3406



4XEM's USB-C Mini Dock sports a portable design that fits nicely into your travel bag to support multiple Laptop operating systems. Its compact size makes it ideal for travel, the home office or environments where a clean desk policy exists. There is no loss of quality with its size. This device still supports 4K video resolution and high-speed data transferring via the USB-C 3.0 ports. Additionally, this station is able to charge your devices while offering all of these functions. Keep connected on the go with 4XEM's USB-C Mini docking station. Problem it solves: Keep your functionality high, while on the move or de-clutter a workstation with 4XEM's USB-C mini docking station.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- RJ45 Gigabit Ethernet port
- USB 3.0 Type-A Port
- USB 3.1 Type-C Port
- HDMI 1.4 port which supports 4K UHD video resolution (3840 x 2160 @ 30Hz)
- Removable SD card (and micro SD card) reader for extra functionality without adding to permanent size

Application

- Home theatre
- Small business
- Travelling
- Business Presentations

4XEM Products Are Available At Your Favorite Online Retailers



Warranty Information	Warranty	2 Years
Hardware	4K Support	Yes
	Displays Supported	1
	USB Ports	3
	Fast-Charge Port(s)	No
	Network	Yes
	SD Card Reader	Yes
	Audio	No
	Host Bus Type	USB Type-C
	Power Delivery	PD Pass-through
	Lock Slot	No
	Industry Standards	HDMI 1.4 Power Delivery (PD 2.0) Secure Digital (SD v3.01)
	Chipset ID	Fresco Logic FL5002 Realtek RTL8153 Genesys Logic GL3224
	Connector(s)	Host Connectors
Host Connector Cable		Fixed Attached
Connector Type(s)/Rate(s)		1x HDMI 1.4 (10.2Gbps)
		2x USB 3.0 Type-A (5Gbps)
		1x USB 3.1 Gen 1 Type-C (5Gbps - Or USB-C Power Adaptor for PD)
		1x RJ-45 (10/100/1000Mbps)
1x SD Card Reader (SD v3.01)		
1x MicroSD Card Reader (SD v3.01)		
Performance	Maximum Digital Resolutions	4K UHD (3840 x 2160 @ 30Hz)
Software	OS Compatibility	Windows 10
		Mac OSX
Power	Power Source	Bus Powered
	Power Adaptor Style	N/A
	Power Consumption	15W (Full Load)
	Input Voltage	5V DC
	Input Current	3A
	Output Voltage	PD Pass-through (dependant on Power adaptor input)
	Output Current	PD Pass-through (dependant on Power adaptor input)
	Power Delivery	PD Pass-through (dependant on Power adaptor input)
Physical Characteristics	Product Height	0.75 in [19.1 mm]
	Product Width	5.01 in [127.2 mm] (6.17 in [156.6 mm] with SD card reader attachment)
	Product Length	2.67 in [67.7 mm]
	Weight of Product	5.01 oz [142 g]
	Color	Grey
	Material	Plastic
	Cable Length	2.36 in [60 mm]
	Power Button	N/A
	Status LEDs	Power: Blue
	Environmental	Operating Temperature
Storage Temperature		-10~70°C
Humidity		10%~90%,noncondensing
Packaging Information	Shipping (Package) Weight	8.68 oz [246 g]
	Package Height	7.09 in [180 mm]
	Package Width	4.43 in [112.5 mm]
	Package Length	1.81 in [30 mm]
What's in the Box	Included in Package	1x USB-C Mini Dock 1x User Manual
Country of Origin	Country of Origin	China
Notes		"DP Alt Mode support required from host for HDMI output. SD/Micro SD card reader is detachable. When in use it consumes 1 available USB 3.0 Type-A port."

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

